

SUPPLEMENT TO



The Gazette of India

No. 34] NEW DELHI, SATURDAY, AUGUST 30, 1958/BHADRA 8, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd August, 1958

	CHOLERA				SMALLPOX				PLAGUE					CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	
Andhra Pradesh																						
"N.R."																						
Assam																						
Cachar	4						Madras City	.	1	1	131	24	
United Khasi	.													Chingleput	27	10	
Ind Jaintia Hills	12	4						South Arcot	3	1	
Kamrup	10						Tiruchirappalli	1	
Total	26	4						Tanjore	6	4	
Total for w/e 26-7-58	10	3								Madurai	6	1	
Total for w/e 19-7-58	"N.R."													Ramanatha puram	10	5	
Bihar																						
"N.R."																						
Bombay																						
" N. R. "																						
Delhi																						
"N.R."																						
Himachal Pradesh																						
"N.R."																						
Kerala																						
Trivandrum	2	1						Banglore	8	2	
Quilon	3	2						Chitaldurg	.	2	1	7	2	
Kottayam	1	2						Chikmagalur	1	
Trichur	12	3						Kolar	2	
Malabar	21	8						Mysore	2	1	
Total	39	16						Shimoga	.	19	1	
Total for w/e 26-7-58	42	16								Gulberga	.	12	6	
Total for w/e 19-7-58	18	2								Belgaum	.	11	
Madhya Pradesh																						
" N. R. "																						
Explanation of symbols used:—C = Cases ; D = Deaths; .. = Nil; "N.R." = Information not received.																						

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd August, 1958—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
Mysore—<i>contd.</i>												Rajasthan												Tripura													
South Kanara.	11	3	Udaipur	1								
Coorg (Mercra)	4	2	Kotah	6	2								
TOTAL	.	51	11	44	11	TOTAL	7	2									
Total for w/e 26-7-58	97	41	44	14	Total for w/e 26-7-58	24	6									
Total for w/e 19-7-58	48	19	60	14	Total for w/e 19-7-58	31	6									
Orissa												"N.R."												Uttar Pradesh													
Cuttack	20	2	Allahabad	1	6								
Balasore	15	4	Azamgarh	15	8								
Puri	.	..	23	12	49	27	Banda	1									
Sambalpur	.	..	5	1	73	15	Ballia	1	5									
Bandh	9	3	Bijnor	17	11									
Ganjam	.	..	61	43	57	19	Deoria	.	..	6	1	14	9									
Koraput	86	32	Fatehpur	1									
Mayurbhanj	.	..	4	Faizabad	3	1									
Dhenkanal	.	..	4	3	18	20	Ghazipur	8	2									
Keonjhar	33	15	Gonda	3									
Bolangir Patna	.	23	21	46	15	Gorakhpur	1	3								
Sundargarh	21	10	Hardoi	1	3								
Kalahandi	.	..	192	93	43	4	Jaunpur	2	1								
TOTAL	.	312	173	470	166	Jhansi	1								
Total for w/e 26-7-58	208	120	518	207	Kanpur	1								
Total for w/e 19-7-58	154	117	391	203	Kheri	3	4								
Pondicherry												Lucknow												Muzaffarnagar													
TOTAL	10	5	Mainpuri	1	1								
Total for w/e 26-7-58	3	2	Moradabad	3	1							
Total for w/e 19-7-58	15	9	Nainital							
Punjab												Pratapgarh												Saharanpur													
Rohtak	1	Shahjahanpur	2	2							
Hoshiarpur	.	..	1	1	Sitapur	2	2							
TOTAL	.	..	1	1	1	Varanasi	2	2							
Total for w/e 26-7-58	6	3	TOTAL	.	6	1	88	67							
Total for w/e 19-7-58	1	1	Total for w/e 26-7-58	3	1	145	69							
Explanation of symbols used:—C.—Cases ; D.—Deaths ; ..—Nil ; "N.R."—Information not received.												Total for w/e 19-7-58												1													

Explanation of symbols used:—C.—Cases ; D.—Deaths ; ..—Nil ; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd August, 1958—contd.

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.						
West Bengal												Mysore																									
												w/e 26-7-58																									
Burdwan	.	.	34	17	21	11					Bangalore		15	4													
Birbhum	1					Bellary	.	.	40	20													
Bankura	.	.	2	2	8	4					Belgaum	.	.	19	6													
Midnapur	.	.	23	12	1					Bijapur	.	.	3	1	3													
Hooghly	.	.	21	12	1	1					Chitaldrug	.	.	16	9	7													
Howrah	.	.	20	13	1					Coorg (Mercara)													
24-Parganas	.	.	108	47	27	15					Dharwar	.	.	1													
Calcutta	.	.	71	34					Tumkur	3	1													
Nadia	.	.	18	7	10					Mandya													
West Dinajpur	24	11					Mysore	9	7													
Malda	23	16					Raichur	.	.	16	5													
Purulia	5					Shimoga	.	.	2	..	2													
	TOTAL	.	297	144	106	64					South Kanara	5													
Total for w/e 26-7-58	449	183	280	135							TOTAL	.	.	97	41	44	14																
Total for w/e 19-7-58	418	164	292	127							Bombay																								
Total for India Excluding Andhra Pradesh, Bihar, Bombay, Delhi, Himachal Pradesh, Madhya Pradesh, and Tripura	.	668	331	1,056	395						w/e 26-7-58																								
Corresponding Total for w/e 26-7-58*	759	346	1,368	529							Greater Bombay	20	4																
Corresponding Total for w/e 19-7-58†	622	300	1,315	539							Ahmedabad	2																
*Excluding w/o 26-7-58 for Manipur													Surat	.	.	30	11																
†Excluding w/e 19-7-58 for Assam.													Kutch	1	1																
<i>ARREAR INFORMATION</i>												Rajasthan																									
												w/e 19-7-58																									
Sikar	5	4					East Khandesh	.	145	37	6	1																
Nagaur	2					Kolaba	11	1																
Banawara	1					Poona	.	..	1	..	12	8																
Bikaner	1					South Satara	4	2																	
Ganganagar	13					West Khandesh	101	24																		
Kotah	9	2					Akola	.	4	1																	
	TOTAL	31	6					Amraoti	.	38	22	1																	
w/e 26-7-58												Bhandara																									
Jaipur	4	2					Chanda	13	1																
Kotah	2	2					Wardha	4																
Nagaur	15	2					Yeotmal	2																
Churu	3					Sholapur	8	1																
	TOTAL	24	6					TOTAL	322	97	106	22																	

Explanation of symbols used i— C.—Cases ; D.—Deaths; .. — Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd August, 1958—concl.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX			
	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
West Bengal																					
w/e 26-7-58																					
Burdwan	.	.	21	13	22	12		Mysore											
Birbhum	5	4		Raichur	20	8	
Bankura	.	.	3	1	7	6		Poliomyelitis											
Midnapur	.	.	36	21	10	7		(Information based on patients treated in hospitals of important towns)											
Hooghly	.	.	3	2	5	7		Place											
Howrah	.	.	70	18	4	3		Punjab											
24-Parganas	.	.	212	83	69	26		F/e											
Calcutta	.	.	98	43	3	3		31-7-58											
Nadia	.	.	5	1		REMARKS											
Murshidabad	2	1		<i>Cholera</i> .—Epidemic conditions prevailed in the district of Kalahandi of Orissa State.											
West Dinajpur	7	3		<i>Smallpox</i> .—Heavy incidence of the disease was reported from the Districts of Sambalpur, Koraput, Keonjhar, Bolangir- Patna and Kalahandi of Orissa State and the City of Madras.											
Malda	112	54													
Purulia	.	.	1	1	34	9													
TOTAL	.	.	449	183	280	135													

Explanation of Symbols used :—C.—Cases; D.—Deaths; .. = Nil

NEW DELHI-2 (INDIA); }
The 25th August, 1958.

H. R. SHARMA,
for Registrar General, India,

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August, 1958

Deaths from :-

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Andhra Pradesh													
Assam													
Gauhati	.	58	16	14.3	1	7	6.3
Shillong†	.	54	6	5.8
Dibrugarh	.	57	9	8.2	3	1	9	8.2
Silchar	.	169	31	9.5	4	1	16	4.9
TOTAL													5
Bihar													
Bombay													
Delhi													
Kerala													
Alleppey	.	195	70	18.7	1	7	11.9
Changanacherry†	.	55	47	44.4	1	1.0
Kottayam	.	77	60	40.5	2	13	8.8
Ernakulam	.	94	18	10.0	13	7.2
Mattancherry	.	82	11	7.0	1	9	52	33.0
Quilon	.	80	132	85.8	3	16	10.4
Trichur	.	247	55	11.6	3	19	48	10.1
Trivandrum	.	187	268	74.5	9	5	6	1	90	25.0
Kozhikode	.	Palghat	82	52	33.0	6	29	18.4
Cannanore†	.	43	45	54.4	1	2	1	..	21	25.4
Tellicherry	.	33	37	58.3	1	1	7	11.0
TOTAL	.	1,175	795	35.2	27	36	7	1	297	13.1
Madhya Pradesh													
Madras													
Ambur	.	48	21	22.8	2	1	2	..	9	9.8
Arrupukottai	.	62	47	39.4	7	..	2	1	15	12.6
Bodinayakunur	.	43	29	35.1	3	5	6.0
Chidambaram	.	43	35	42.3	1	1	2	..	9	10.9
Coimbatore	.	267	252	49.1	1	8	13	..	72	14.0
Cuddalore	.	76	68	46.5	1	3	1	14	9.6
Dindigul	.	100	50	26.0	2	3	4	..	12	6.2
Erode	.	77	92	62.1	1	2	4	1	19	12.8
Gobichetipalayam	.	48	24	26.0	1	3	3.3
Gudiyartam	.	58	41	36.8	1	3	3	..	18	16.1
Kancheepuram	.	93	97	54.2	..	2	9	6	..	43	24.0
Karaikudi	.	47	41	45.4	3	3.3
Karur	.	57	20	18.2	1	1	2	..	13	11.9
Kumbakonam	.	115	113	51.1	..	3	..	1	14	5	1	48	21.7
Madras City	.	2,011	1,034	26.7	1	29	..	62	88	127	4	571	14.8
Madurai	.	488	439	46.8	..	3	..	7	10	16	..	178	19.0
Mayuram	.	53	40	39.2	1	5	4.9
Malapalayam	.	43	14	16.9	1	..	3	3.6
Nagapattinam	.	62	58	48.6	3	3	3	21	17.6
Nagercoil	.	109	39	18.6	2	4	3	..	17	8.1
Ootacamund	.	53	48	45.4	1	2	..	19	18.0
Palni	.	44	34	40.2	2	3	..	12	14.2
Palayamkottai	.	48	75	81.3	..	1	..	1	..	1	..	23	24.9
Periyakulam	.	35	45	66.9	2	..	11	16.3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August, 1958—*contd.*

Town	Mid-year Popn.-Est (000)	Deaths from :-												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras—<i>contd.</i>														
Pollachi	60	37	32·1	3	..	15	13·0	6	
Pudukkottai	54	65	62·6	2	1	..	24	23·1	5	
Rajapalayam	74	50	35·1	2	1	3	..	10	7·0	1	
Salem	279	160	29·8	4	5	6	1	50	9·3	6	
Srirangam	46	23	36·0	1	1	..	8	9·0	..	
Srivilliputtur	45	28	32·4	5	3	1	..	21	24·3	6	
Tanjore	133	91	35·6	1	1	7	1	32	12·5	4	
Tiruchirappalli	276	182	34·3	4	1	5	..	50	9·4	6	
Tirunelveli	84	68	42·1	..	1	..	1	1	7	..	24	14·9	5	
Tiruppur	73	51	36·3	1	1	3	..	12	8·5	6	
Tiruvannamalai	47	35	38·7	2	2	..	14	15·5	4	
Tuticorin	121	96	41·3	2	12	1	39	16·8	5	
Vaniyambadi	45	23	26·6	1	3	7	..	12	13·9	3	
Vellore	141	120	44·3	1	5	8	..	39	14·4	7	
Villapuram	42	38	47·0	2	1	..	7	8·7	1	
Virudhunagar	57	39	35·6	2	4	1	..	15	13·7	3	
TOTAL	5,657	3,862	38·5	1	39	..	112	188	264	15	1,515	13·9	385	
Mysore														
Bangalore	1,246	583	24·3	..	2	..	3	45	59	..	284	11·9	4	
Mysore	347	115	17·2	10	6	1	..	63	9·4	5	
Kolar Gold Fields	180	104	30·0	3	7	3	..	40	11·6	..	
Bellary	83	33	20·7	2	..	4	2·5	..	
Davangere	85	36	22·0	1	3	..	2	20	12·2	..	
Shimoga														
Bhadrayat† Hospet† Tumkur	51	16	16·3	7	1	13	13·3	..	
Kolar† Chitaldrug Hassan†	37	13	18·3	5	7·0	—	
Bidar† Gulbarga Raichur†	101	6	3·1	—	1	3	4	..	10	5·1	..	
Bijapur† Belgaum Dhanwar	110	140	66·2	1	3	47	22·2	4	
Bagalkot Mangalore	39	17	2·3	27	2·7	..	
Gadag (Betigere)	153	54	18·4	2	2	35	9·2	1	
	73	55	39·1	7	..	2	..		24·9	..	
Hubli†														
TOTAL	2,590	1,219	24·5	..	2	..	36	70	71	2	557	11·2	14	
Orissa														
Berhampur	81	108	62·3	6	..	8	..	6	6	3	..	30	19·3	3
Cuttack	129	148	59·6	..	8	..	8	9	7	..	47	18·9	5	
Puri	56	52	48·3	13	12	1	..	52	48·3	23	
TOTAL	266	308	60·2	6	8	..	27	27	II	..	129	25·2	31	
Pondicherry	68	90	68·8	5	2	2	..	22	16·8	11	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—No information ; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August, 1958—*contd.*

Deaths from —

Town	Mid-year Popn-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab													
Ambala	62	50	42.1	5	4	3	..	17	14.3	6
Amritsar	359	268	38.9	3	4	20	2	67	9.7	22
Batala	66	39	30.8	II	..	5	..	20	15.8	10
Bhiwani	59	58	51.2	5	..	1	..	8	7.1	5
Ferozepur	47	36	40.0	4	1	2	..	12	13.3	1
Hissar	41	40	50.1	9	..	1	..	11	14.0	..
Hoshiarpur	54	32	30.9	5	11	10.6	1
Jullundur	230	188	42.6	25	3	1	..	42	9.5	10
Karnal	83	57	35.8	6	..	2	..	16	10.0	5
Ludhiana	194	160	43.0	3	1	14	..	24	6.4	25
Moga	45	40	46.3	2	1	1	..	5	5.8	1
Panipat	72	50	36.2	6	1	10	7.2	3
Pathankot	36	31	44.9	1	1	..	4	5.8	1
Rewari	40	30	39.1	3	1	1	..	6	7.8	3
Rohtak	96	100	54.3	6	II	6.0	5
Simla	53	40	39.3	2	2	..	5	4.9	..
Sonepat	36	38	55.1	5	7	10.1	1
Bhatinda	45	30	34.8	2	7	8.1	..
Malerkotla	35	40	61.1	6	..	2	..	7	10.4	25
Patiala	125	66	27.5	18	1	2	..	23	9.6	25
TOTAL	1,778	1394	40.8	124	20	56	4	313	9.2	124
Rajasthan													
Jaipur	419	122	15.1	39	7	6	..	81	10.0	36
Ajmer	244	90	19.2	II	1	4	..	34	7.2	5
Jodhpur†													
Udaipur	121	5	2.1	..	1	1	..	3	1.2	..
Bikaner†													
Kotah	83	8	5.0	7	2	3	..	19	11.9	1
Beawar	65	12	9.6	..	1	..	5	3	13	10.4	4
Ganganagar	65	12	9.6	1	..	1	..	5	4.0	..
Alwar	61	58	49.4	2	2	22	18.7	8
Sikar†													
Churu													
Tonk†													
Bharatpur†													
TOTAL	1,110	311	14.6	..	2	..	65	15	16	..	178	8.3	54
Uttar Pradesh													
Agra	404	251	32.4	..	1	..	2	1	58	..	93	12.0	35
Allahabad	372	160	22.4	..	1	1	23	1	75	10.5	18
Amroha	61	51	43.6	2	2	26	22.2	10
Bahraich	49	22	23.4	4	4	4.2	1
Banaras	416	358	44.9	30	3	16	..	137	17.2	45
Banda†													
Bareilly	206	81	20.5	II	1	3	..	26	6.6	12
Basti†													
Ballia†													
Bijnor†													
Budaun	55	30	28.4	..	1	..	2	1	1	..	12	11.4	8
Bulandshahr	45	4	4.6
Chandaubil	44	59	69.7	4	3	2	..	17	20.1	6
Dehra Dun	186	41	11.5	3	..	4	..	11	3.1	3
Etawah	65	46	36.9	7	..	2	..	15	12.0	6

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August 1958—contd.

Deaths from:—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—contd.													
Faizabad-Ayodhya	94	30	16.6	..	4	..	8	1	3	..	27	15.0	12
Farukhabad-Fatehgarh	78	45	30.1	3	6	4.0	..
Hirozabad	93	63	35.3	3	2	6	3.4	1
Ghazipur	35	20	7	1	9
Ghazinabad	68	41	31.4	5	..	1	..	8	6.1	3
Gonda	35	22	32.8	2	7	10.4	3
Gorakhpur	150	118	41.0	..	1	..	10	5	4	..	29	10.1	7
Hapur	65	41	32.9	5	1	2	..	10	8.0	4
Hardwar	73	40	28.6	9	1	5	..	27	19.3	10
Hathras	65	57	45.7	14	..	3	..	34	27.2	15
Jaunpur	59	30	26.5	..	1	..	5	..	3	..	12	10.6	1
Jhansi	132	127	50.2	20	..	1	..	27	10.7	11
Kanpur	810	420	27.0	..	1	..	129	14	96	1	317	20.4	188
Kasganj	34	8	12.3	1	1	1.5	..
Khurja	41	21	26.7	2	1	2	..	7	8.9	4
Koll-Aligarh	167	28	8.7	8	1	1	..	15	4.7	5
Lucknow	525	407	40.4	30	8	27	1	133	13.2	28
Methura	118	114	50.4	7	1	1	..	18	7.9	..
Mau-Nath Bhanjan †													
Meerut	198	99	26.1	13	3	5	..	24	6.3	5
Mirzapur-Vindhayachal	100	43	22.4	7	..	3	..	16	8.3	4
Moradabad	165	149	47.1	13	1	13	..	40	12.6	9
Muzaffarnagar	81	46	29.6	5	..	2	..	15	9.6	8
Pilibhit	47	29	32.2	6	..	3	..	15	16.6	4
Rampur†													
Saharanpur	178	117	34.3	46	61	17.9	17
Sambhal†													
Sitapur†													
Shahjahanpur	112	77	35.8	16	..	3	..	28	13.0	7
TOTAL	5,426	3,295	31.6	..	10	..	437	54	287	3	1,308	12.5	490

West Bengal

"N.R."

ARREAR INFORMATION

Assam													
w/e 5-7-1958													
Shillong†													
Gauhati	58	22	19.7	5	2	1	..	28	25.1	6
Dibrugarh	54	1	1.0
Silchar	57	34	31.0	3	1	5	4.6	1
Total	169	67	20.6	8	2	1	1	33	10.2	7
w/e 12-7-58													
Shillong *													
Gauhati	58	17	15.2	7	13	11.7	2
Dibrugarh	54	3	2.9
Silchar	57	11	10.0	1	..	3	..	7	6.4	1
Total	169	31	9.5	8	..	3	..	20	6.2	3
w/e 19-7-1958													
Shillong†													
Gauhati	58	18	16.1	13	6	26	23.3	4
Dibrugarh	54	3	2.9	1	1	1.0	..
Silchar†													
Total	169	21	6.5	13	8	2	1	32	9.8	4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August, 1958—contd.

Deaths from—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ORISSA													
Berhampur	81	35	22.5	3	4	2	..	15	9.6	4
Cuttack	129	124	50.7	..	12	..	7	4	8	..	57	23.0	7
Puri	56	60	55.7	11	3	2	..	34	31.6	4
TOTAL	266	219	42.8	..	12	..	21	11	12	..	106	20.7	15
<i>w/e 26-7-58</i>													
Berhampur	81	101	64.8	11	13	5	..	43	27.6	11
Cuttack†
Puri	56	23	21.3	..	1	..	4	8	1	1	35	32.5	13
TOTAL	137	124	47.1	..	1	..	15	21	6	1	78	29.6	24
RAJASTHAN													
Jaipur	419	125	15.5	35	5	7	2	84	10.4	36
Ajmer	244	127	27.1	6	2	7	..	36	7.7	5
Udaipur	121	5	2.1	3	1.3	..
Bikaner	117	50	22.2	3	..	2	..	21	9.3	3
Kotah	83	15	9.4	..	1	..	4	1	1	..	12	7.5	1
Beawar	65	23	18.4	..	1	..	5	..	1	..	12	9.6	2
Ganganagar	65	7	5.6	5	..	1	..	6	4.8	..
Alwar	61	19	16.2	2	1	1	..	10	8.5	1
Sikar †
Churu	52	2	7.0
Tonk	46	2	2.3
Jodhpur †
Bharatpur†
TOTAL	1273	380	15.5	..	2	..	60	9	19	2	185	7.6	49
<i>w/e 19-7-58</i>													
Jaipur	419	103	12.7	37	5	3	2	95	11.8	37
Bikaner	117	50	22.2	3	2	7	..	24	10.5	..
Ajmer	244	120	25.6	11	3	6	..	29	6.2	4
Jodhpur†
Udaipur	121	4	1.7	3	..	1	..	6	2.6	1
Kotah	83	9	5.6	6	1	2	1	12	7.5	2
Beawar	65	23	18.4	3	..	1	..	8	6.4	3
Ganganagar	65	9	7.2	4	6	4.8	3
Alwar	61	74	63.0	3	2	11	9.4	4
Sikar †
Churu†
Tonk†
Bharatpur†
TOTAL	1175	392	17.3	..	11	..	70	13	20	3	191	8.5	54
<i>(Supplementary figures)</i>													
<i>w/e 14-6-1958</i>													
Tonk	46	5	5.7	1	..	2	2.3	..
Do.	46	5	5.7	1	2	2.3	..
Do.	46	2	2.3
Beawar	65	16	12.8	3	1	1	..	11	8.8	3
<i>w/e 5-7-1958</i>													
Tonk	46	8	9.0	..	1	3	3.4	..
Ganganagar	65	6	4.8	4	9	7.2	2
Jaipur	419	110	13.7	33	4	8	..	84	10.4	26
Udaipur	121	11	4.7	..	1	5	2.1	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infant Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August, 1958—*contd.*

Town	Mid-Year Popn. Est.(ooo)	Deaths from --												Total	D.R.*	I.D.		
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.								
Rajasthan—<i>contd.</i>																		
<i>w/e 26-6-1958</i>																		
Jaipur	419	139	17.2	35	5	8	..	77	9.5	4.0	37				
Ganganagar	65	11	8.8	4	5			1				
Kerala																		
<i>w/e 21-6-1958</i>																		
Trivandrum	247	300	63.2	12	7	75	15.8	4					
Quilon	82	109	69.1	2	8	18	11.4						
Alleppey	195	123	32.8	2	5	11.3						
Changanacherry	44	41	48.5	3	3.6						
Kottayam	55	65	61.5	7	4	58	54.8	2					
Mattancherry	94	43	23.8	2	18	10.0	2					
Trichur	80	55	35.8	2	1	17	11.1	2					
Ernakulam	77	60	40.5	1	1	16	10.8	1					
Cochin	33	26	41.0	4	18	28.4	5					
Kozhikode	187	194	54.0	9	5	3	..	82	22.8	19					
Palghat	82	58	30.8	2	5	32	20.3	6					
Cananore	49	32	34.0	1	..	11	11.7	3					
Tellicherry	43	38	46.0	4	4.8	1					
TOTAL	1,268	1,144	46.9	41	33	4	..	357	14.6	45					
Kerala																		
<i>w/e 12-7-58</i>																		
Alleppey†																		
Changanacherry	44	38	44.9			
Kottayam†																		
Ernakulam	77	63	42.6	2	18	12.2	2					
Mattancherry	94	24	13.3	1	1	20	11.1	3					
Quilon	82	11	7.0	1	14	20	2.7	3					
Trichur	80	30	19.5	3	19	12.4	1					
Trivandrum	247	132	27.8	3	3	42	8.8	5					
Kozhikode	187	184	51.2	9	9	13	3	127	35.3	23					
Palghat	82	64	40.6	6	1	27	17.1	4					
Cananore	49	38	40.3	1	..	2	1	10	10.6	2					
Tellicherry	43	40	48.4	2	2	14	16.9	2					
Cochin	33	74	53.6	—	4	..	1	..	14	22.1	2					
TOTAL	1,018	658	33.6	30	28	18	6	311	15.9	47					
Kerala																		
<i>w/e 19-7-58</i>																		
Alleppey	195	54	14.4	1	17	4.5	6					
Changanacherry	44	51	60.3	3	9	10.6	2					
Kottayam	55	133	125.8	3	22	20.8	1					
Ernakulam	77	54	36.5	1	1	17	11.5	1					
Mattancherry	94	36	19.9	1	22	12.2	5					
Quilon	82	152	96.4	5	28	80	50.7	13					
Trichur	80	54	35.1	3	13	8.5						
Trivandrum	247	209	44.0	10	2.1	1					
Kozhikode	187	282	78.4	19	11	..	1	109	30.3	23					
Palghat	82	43	27.3	1	2	21	13.3	8					
Cananore	49	36	38.2	4	..	1	..	14	14.9	1					
Tellicherry	43	51	61.7	1	..	1	..	8	9.7	..					
Cochin	33	46	1	14	..	4					
TOTAL	1,268	1,201	49.3	41	43	1	3	356	14.6	65					

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); —Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August, 1958—*contd.*

Town	Mid-year Popn. Est. (ooo)	Deaths from :—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R. *	I.D.	
Madhya Pradesh		<i>w/e 7-6-51</i>												
Bilaspur†	.	85	79	48.3	..	4	..	19	1	..	32	19.5	..	
Burhanpur	.													
Damoh†	.													
Jabalpur†	.	64	31	25.1	..	1	..	10	2	..	16	13.0	..	
Khandwa	.													
Raipur†	.													
Murwara†	.													
Sagar†	.													
Chhindwara	.	33	23	36.2	..	2	..	2	1	2	19	29.9	6	
Raigarh	.	39	3	4.0	..	5	5	6.6	..	
Itarsi	.	37	18	25.2	1	1	..	3	4.2	..	
Greater Gwalior	.	297	68	11.9	..	1	..	11	..	3	1	4.3	1	
Indore	.	423	122	14.9	..	3	..	24	2	10	111	13.6	43	
Ratlam	.	82	25	15.8	6	..	18	29	18.4	5	
Ujjain	.	183	57	16.1	16	3	..	60	17.0	23	
Bhopal City†	.													
Mandsaur	.	48	17	18.4	3	..	1	2	6	6.5	
TOTAL		1,291	443	17.8	..	16	..	92	10	34	3	306	12.3	82
Madhya Pradesh		<i>w/e 14-6-1958</i>												
Bilaspur†	.	85	75	45.8	..	1	..	26	32	1.9	..	
Burhanpur	.													
Damoh	.	47	21	23.2	4	13	14.3	..	
Jabalpur†	.	64	27	21.9	..	2	..	7	1	2	18	14.6	..	
Khandwa	.													
Raipur†	.													
Murwara†	.													
Sagar†	.													
Chhindwara	.	33	29	45.6	7	1	12	24.9	6
Raigarh	.	39	10	13.3	..	6	..	6	1	..	14	18.5	1	
Itarsi	.	37	23	32.3	6	1	1	13	18.2	..	
Greater Gwalior	.	297	61	10.6	..	2	..	6	..	2	16	2.8	2	
Indore	.	423	108	13.2	..	3	..	23	5	9	1	89	10.9	23
Ratlam	.	82	18	11.4	..	1	..	5	..	8	..	14	8.8	..
Ujjain	.	183	69	19.6	14	2	..	1	49	13.9	16
Bhopal†	.													
Mandsaur	.	48	15	16.2	
TOTAL	.	1,338	456	17.7	..	15	..	104	10	22	3	270	10.5	48
Madhya Pradesh		<i>w/e 21-6-1958</i>												
Bilaspur†	.	85	82	50.1	..	1	..	16	..	3	..	27	16.5	..
Burhanpur	.													
Damoh	.	47	30	33.1	8	1	..	20	22.1	..	
Jabalpur†	.	64	22	17.1	..	2	..	4	..	3	..	14	11.3	..
Khandwa	.													
Raipur†	.													
Murwara†	.													
Sagar†	.													
Chhindwara	.	33	42	66.2	7	2	..	12	18.9	4	
Raigarh†	.	37	21	29.5	..	1	1	..	6	8.4	..	
Itarsi	.	297	137	23.9	..	1	..	13	1	6	..	56	9.6	4
Greater Gwalior	.													
Indore	.	423	105	12.9	18	2	4	2	75	9.2	24
Ratlam	.	82	41	26.0	..	2	..	3	..	25	..	30	19.0	..
Ujjain	.	183	60	17.0	14	2	..	2	45	12.7	18
Bhopal†	.													
Mandsaur	.	48	6	6.5	1	1	1.0	..
TOTAL		1,299	546	21.9	..	7	..	83	9	41	5	286	11.4	50

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) . . = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August, 1958—contd.

Deaths from :—

Town	Mid. Popn.-Est. (ooo)	Year	Deaths from :—											
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh												w/e 28-6-58		
Bilaspur†														
Burhanpur	85	58	35·4	9	13	7·9	..
Damoh	47	27	29·8	12	..	1	..	20	22·1	..
Jabalpur	267	95	18·5	..	1	7	1	6	..	23	4·4	8
Khandwa	64	18	14·6	..	2	1	..	1	..	6	4·8	..
Rajpurt†														
Murwarat†														
Sagar†														
Chhindwara.	33	23	36·2	4	2	18	28·3	6
Raigarh†														
Itarsi	37	20	28·1	1	1	1·5
Greater Gwalior†														
Indore	423	105	12·9	..	2	3	..	5	1	62	7·6	21
Ratlam	82	36	22·8	5	..	10	..	15	9·5	1
Ujjain	183	60	17·5	3	15	4·2	3
Bhopal†														
Mandsaur	48	14	15·1	9	..	5	..	14	15·1	5
TOTAL	1269	456	18·7	..	5	53	3	28	2	187	7·7	44

w/e 21-6-1958

Andhra Pradesh															
Adoni	72	50	36·1	1	1	10	7·2	6	
Anantpur	42	22	27·3	4	1	..	1	14	17·3	2	
Anakapallit†															
Bhimavaram	41	25	31·7	2	2	2	..	14	17·8	6
Chirala	48	23	24·9	5	12	13·0	3	
Chittoor†															
Guddapah	46	17	19·2	1	3	3·4	..	
Ellore	108	29	13·9	2	..	4	1	28	13·5	3	
Cudivada	40	21	27·3	4	1	1	..	17	22·1	6	
Guntur	168	116	36·0	8	5	5	..	75	23·3	21	
Guntakal †															
Kakinada†															
Kurnool	74	80	56·2	2	1	..	1	38	26·7	7	
Msulipatnam	95	44	24·1	3	1	26	14·2	7	
Nandyal	40	10	13·0	1	..	9	11·7	4	
Nellore	107	101	49·1	4	4	4	..	58	28·2	17	
Proddutur.	46	22	24·9	..	1	2	..	3	..	10	11·3	1	
Rajahmundry	137	50	19·0	2	2	1	..	17	6·5	1	
Tenali	76	43	29·4	4	..	4	1	20	13·7	6	
Vijayawada	253	123	25·4	..	1	22	2	6	1	111	22·9	24	
Visakhapatnam	148	81	28·4	13	12	22	..	76	26·7	19	
Vizianagaram	81	35	22·5	1	1	1	1	15	9·6	6	
Hyderabad	1,291	660	26·4	16	2	29	..	155	6·2	24	
Warrangal	173	39	11·7	..	1	8	2	5	..	33	9·9	..	
Nizamabad	81	10	6·4	1	..	1	1·3	1	
Kothagudiam †															
Secunderabad	192	150	40·7	..	1	3	2	6	..	25	6·8	7	
TOTAL	3,359	1,041	16·1	..	4	105	39	96	6	768	11·9	181	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Firths and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd August, 1958—concl.

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C	S.	P.	F.	R.	D.D.	R.D.	M.D.	Total	D.R. *	I.D.
Bihar													<i>w/e 21-6-58</i>	
Arrah . . .	74	6	4.2	1	..	1	..	8	5.6	..
Bettiah . . .	40	6	7.8	1	..	1	..	6	7.8	..
Bhagalpur . . .	133	25	9.8	..	2	30	11.7	..
Bihar . . .	70	17	12.6	..	3	1	..	24	..	10	7.4	..
Chapra† . . .														
Darbhanga . . .	98	21	11.1	6	1	14	7.4	..
Dhanbad . . .	48	10	10.8	1	1	5	5.4	..
Dinapur . . .	45	2	2.3	4	4.6	..
Gaya† . . .														
Hazaribagh . . .	42	13	16.1	8	9.9	..
Jamalpur . . .	48	4	4.3	1	1.1	..
Jamshedpur . . .	266	123	24.0	2	4	18	3.5	..
Kutihar . . .	60
Monghyt† . . .														
Muzaffarpur . . .	92	26	14.7	5	1	24	13.6	..
Patna . . .	371	69	9.7	..	2	4	..	1	..	37	5.2	..
Ranchit† . . .														
TOTAL	1,387	322	12.1	..	8	20	3	3	4	165	6.2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information

REMARKS

The figures of births and deaths shown in this statement for week ending the 2nd August, 1958 relate to 135 towns from the states of Assam, Kerala, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 18,239 thousands out of total population of 46,461 in 320 towns of the country. The number of births and deaths recorded in these

towns were 11,305 and 4,335 registering birth and death rates of 32.2 and 12.4 per thousand of population respectively.

The town of Quilon in Kerala State and Puri in Orissa State have recorded a high death rate of 33.0 and 48.3 per thousand of population. The following table gives the registered rates for different States:—

States	Current w/e 2-8-1958		Corresponding w/e last year	
	B. R.	D. R.	B. R.	D. R.
Assam	9.5	4.9	10.6	17.0
Kerala	35.2	13.1	43.2	16.6
Madras	38.5	13.9	37.3	16.8
Mysore	24.5	11.2	18.0	13.0
Orissa	60.2	25.2	45.0	34.0
Pondicherry	68.8	16.8	†	†
Punjab	40.8	9.2	42.5	9.6
Rajasthan	14.6	8.3	14.1	10.0
Uttar Pradesh	31.6	12.5	31.1	13.3
India	32.2	12.4	32.5	14.4

†Figures not available.

NEW DELHI-2 (INDIA) : }
The 25th August 1958. }

H. R. SHARMA,
for Registrar General, India.

Weekly Cotton Press Return

I. Statement of cotton pressed in India for the weeks ending 7th, 14th, 21st, and 28th of the month of February, 1958

[Section 5 (2) of the cotton Ginning and Pressing Factories Act, 1925 as adopted by the Adaptation of Laws Order 1950.]

(In Running bales)

State and Region	Variety (Trade Description)	NUMBER OF BALES PRESSED												Since 1st Sept. 1957	During the corresponding Period last year		
		During the week ending				Total for the month Col. 3 to Col. 7	During the corresponding week last year				Total for the month (last year) Col. 9 to Col. 12						
		7-2-58	14-2-58	21-2-58	28-2-58		8	9	10	11	12	13	14				
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
I. ANDHRA PRADESH ¹	1. Nandyal	329	329	329	..		
1. Andhra ¹	2. Lakshmi Cotton	1,100	859	1,430	1,139	..	4,528	53	105	..	158	5,736	959		
	3. Northern	632	556		
	4. Westerns	516	1,819	1,134	1,318	..	4,687	..	272	527	799	8,392	1,829		
	5. Mungari	100	..	166	..	266	382	723		
	6. Cocanadas	39	39	22	26	48	521	795		
	TOTAL	1,616	3,007	2,603	2,357	..	9,583	75	398	527	271	..	1,271	15,992	4,862		
2. Telangana ²	1. Hyderabad American	251	54	285	370	..	960	582	479	661	257	..	1,979	3,682	6,409		
	2. Jarila	489	412	..	5	..	906	32	..	10	42	4,386	4,074		
	3. Hyderabad Oomras	136		
	4. Hyderabad Gaorani		
	5. Kumpita Jayawant		
	6. Kumpita Ordinary		
	7. Mungari		
	8. Warangal & Cocanadas		
	TOTAL	740	466	285	375	..	1,866	614	479	671	257	..	2,021	8,068	10,619		
	State Total																
	Cotton Lint	2,356	3,473	2,888	2,732	..	11,449	689	877	1,198	528	..	9,292	24,060	15,481		
	Cotton Waste	303	292	22	617	2,059	1,374		
II. ASSAM ¹	Cotton Lint																
	Comilles	706	736	688	749	..	2,879	493	477	335	545	..	1,850	7,304	3,045		
	Cotton Waste		
-III. BOMBAY ¹																	
1. The Konkan & The Greater Bombay ¹	1. Broach Vijaya		
	2. Surti Suyog		
	3. Gujarat Dholleras		
	4. Saurashtra & Gujarat Short Staple (Mathlo)		
	5. Jarila	43	4	47	..	13	371	..	384	947	1,239		
	6. Barqi Nagar Oomras		
	7. Kumpita-Jayawant (Jayadhar)		
	8. Cambodias		
	9. Dharwar Upland Laxmi		
	10. Kumpita Ordinary		
	TOTAL	43	4	47	..	13	371	384	947	1,239		
	Cotton Waste	1,953	1,638	1,889	1,421	..	6,901	1,235	1,174	2,297	1,475	..	6,181	46,840	43,898		
2. Gujarat ²	1. Broach Vijaya	46,469	36,377	31,116	15,945	..	129907	1,062	4,248	..	5,310	276,570	5,310		
	2. Surti Suyog	3,254	3,184	2,947	2,579	..	11,964	145	2,546	..	2,691	16,899	2,691		
	3. Gujarat Dholleras	8,904	6,187	6,867	5,163	..	27,121	496	496	35,468	496		
	4. Saurashtra & Gujarat Short Staple (Mathlo) Others	300	300	300	300	..	1,200	786	786	2,093	786		
		8,262	1,355	2,693	1,702	..	14,012	328	875	..	1,203	22,298	1,203		
	TOTAL	67,189	47,403	43,923	25,689	..	184204	2,817	7,669	..	10,486	353,328	10,486		

Weekly Cotton Press Return—contd.

I. Statement of cotton press in India for the weeks ending 7th, 14th, 21st, and 28th of the month of February, 1958—contd.

(In Running bales)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
3. Saurashtra*	1. Dholleras Wagad . . .	3,291	11,858	6,615	9,560	..	37,324	..	121	130	1,036	..	1,287	37,650	1,426
	2. Kalyan . . .	70	33	44	45	..	192	192	..
	3. Mathio . . .	2,307	2,308	1,037	839	..	6,491	3,451	3,841	3,816	3,013	..	14,121	27,437	45,337
	4. Pratap
	5. Devraj (134-Cos)	1,853	551	354	435	..	3,193	51	..	115	190	..	356	3,193	356
	6. Others	66	66	..	66
	TOTAL . . .	7,521	14,750	8,050	10,879	..	41,200	3,568	3,962	4,061	4,239	..	15,830	68,472	47,185
4. Marathawada*	1. Jarila . . .	3,335	1,958	1,235	855	..	7,383	593	655	1,040	275	..	2,563	34,770	30,234
	2. Hyderabad Oomras . . .	150	150	2,798	..
	3. Hyderabad Gaorani . . .	3,878	4,725	3,655	1,681	..	3,939	1,361	1,455	1,08	350	..	4,252	32,103	7,818
	4. Kumpa Ordinary
	5. Warangal & Kakinadas
	6. Mungari
	7. Verum (including H-420 & 197/3)	4,767	70	632	339	..	6,708	126	99	310	287	..	822	15,228	2,778
	8. Hyderabad American	150	229
	9. Other Americans
	10. Others . . .	224	136	7	241	..	608	..	2,326	2,026	1,679	..	6,031	1,354	46,018
	TOTAL . . .	12,354	7,789	5,529	3,116	..	28,788	2,0	4,535	4,462	2,591	..	13,668	86,403	87,077
5. Vidarbha*	1. Jarila . . .	5,670	4,692	5,000	3,212	..	18,574	3,267	2,585	2,463	1,849	..	10,164	8,99	6,499
	2. Verum (including H-420 & 197/3)	23,593	15,217	13, 6	10,757	..	63,473	11,918	12,330	9,249	6,740	..	40,227	40,3531	236,992
	3. Oomras . . .	1,182	1,551	365	675	..	9,773	1,266	741	694	248	..	2,949	15,881	15,053
	4. Cambodia including Burl . . .	7,479	6,909	5,169	4,062	..	23,619	3,085	4,037	1,862	2,125	..	11,109	90,502	34,540
	5. M.P. American . . .	2,397	2,474	1,494	2,019	..	8,384	1,074	2,671	1,721	1,464	..	6,868	49,279	37,170
	6. Other Americans
	7. Others . . .	1,126	1,797	105	770	..	4,798	420	779	496	837	..	2,532	11,835	8,794
	TOTAL . . .	41,447	32,640	27,039	21,495	..	122,621	20,958	23,143	16,485	13,263	..	73,849	65,6025	397,546
6. North Deccan*	1. Jarila . . .	29,045	7,821	4,341	3,447	..	44,054	1,959	1,494	26,491	5,943	..	35,917	18,4009	162,138
	2. Surti Suyog
	3. Cambodia . . .	250	89	74	75	..	483	..	400	50	450	1,619	1,026
	TOTAL . . .	29,295	7,910	4,415	3,522	..	45,142	1,989	1,494	26,891	5,993	..	36,367	18,5628	163,164
7. South Deccan*	1. Dharwar Upland/Luxmi
	2. Basai Nagar Oomras . . .	68	68	70	..
	3. Kumpa Jayawant/Jayadhar
	4. Kumpa Ordinary
	5. Cambodia . . .	3	112	9	119	..	772	153	291	910	277	..	1,631	8,393	6,594
	6. Jorila . . .	1,108	642	469	337	..	2,556	..	3,346	1,356	4,702	32,093	27,519
	TOTAL . . .	1,708	754	478	456	..	3,306	153	291	4,256	1,633	..	6,333	40,550	34,053
	STATE TOTAL
	Cotton LINT . . .	159514	111246	89,434	65,157	..	425351	28,748	33,425	58,972	35,388	..	156,533	1,390,412	739,511
	Cotton Waste . . .	817	1,730	986	848	..	4,381	..	7	3,209	954	..	4,170	29,186	30,507
IV. MADHYA PRADESH	1. Mahakoshal . . .	N.A.	N.A.	N.A.	N.A.	..	N.A.	N.A.	N.A.	N.A.	N.A.	..	N.A.	N.A.	N.A.
	2. M.P. American (including Burl and Cambodia) . . .	N.A.	N.A.	N.A.	N.A.	..	N.A.	N.A.	N.A.	N.A.	N.A.	..	N.A.	N.A.	N.A.
	3. H-420 (including Verum or and others) . . .	N.A.	N.A.	N.A.	N.A.	..	N.A.	N.A.	N.A.	N.A.	N.A.	..	N.A.	N.A.	N.A.
	4. Jarila . . .	N.A.	N.A.	N.A.	N.A.	..	N.A.	N.A.	N.A.	N.A.	N.A.	..	N.A.	N.A.	N.A.
	TOTAL . . .	5,960	5,248	4,014	4,509	..	19,731	N.A.	N.A.	N.A.	N.A.	..	N.A.	96,217	N.A.

Weekly Cotton Press Return—contd.

I. Statement of cotton press in India for the weeks ending 7th, 14th, 21st, and 28th of the month of February 1958—contd.

(In Running bales)

I	2	3	4	5	6	7	8	9	10	II	12	13	14	15	16
2. Madhya Bharat .	1. U.P. Deshi	412	548	132	339	..	1,431	792	660	526	303	..	2,281	7,421	7,330
	2. M.B. & Rajasthan American	448	356	266	173	..	1,243	1,791	1,834	1,620	1,707	..	6,952	2,679	8,284
	3. Jarila	8,544	9,345	7,951	9,257	..	35,097	12,604	12,508	12,248	9,647	..	47,004	98,962	99,740
	4. Melvi	3,403	3,733	3,296	3,878	..	14,130	2,154	1,620	1,166	1,666	..	6,606	42,234	18,314
	5. M.B. Oomras	2,558	1,867	2,076	1,929	..	8,430	979	879	867	1,102	..	3,827	17,769	6,677
	TOTAL	15,365	15,849	13,721	15,576	..	60,511	18,320	17,501	16,424	14,425	..	66,670	169,065	140,345
3. Bhopal	1. Melvi	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	2. M.B. Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	STATE TOTAL														
	Cotton Lint	21,325	21,097	17,735	20,085	..	80,2	18,320	77,501	16,424	14,425	..	66,670	265,282	140,345
	Cotton Waste	1,127	495
V. MADRAS ¹	1. Western
	2. Mungari
	3. White and red Northern
	4. Madras Cambodia	436	720	643	831	..	2,630	553	645	471	781	..	2,450	15,390	16,932
	5. Madras Cambodia Uganda	130	103	74	103	5	68	..	250	8,XXX	14,512
	6. Nadam, Bourbon and Uppam
	7. Warrangal & Coccoadas
	8. Tirunelveli	175	64
	9. Karungenni	1,120	197
	10. Chinnapathy
	STATE TOTAL														
	Cotton Lint	435	720	746	831	..	2,733	627	748	476	849	..	2,700	24,796	31,705
	Cotton Waste	1,793	1,940	1,975	1,054	..	5,982	1,665	1,235	1,619	1,350	..	5,869	37,772	30,381
VI. PUNJAB ¹¹	Punjab Desi	1,950	1,550	933	1,158	..	5,591	660	688	993	342	..	2,683	19,410	19,174
	Punjab American	2,608	2,567	3,050	2,665	..	10,890	3,480	3,371	3,316	2,438	..	12,605	60,219	60,243
	TOTAL	4,558	4,117	3,983	3,823	..	16,481	4,140	4,059	4,309	2,780	..	15,288	79,629	79,416
2. Jullundur ¹²	Punjab Desi	972	412	121	155	..	1,060	56	55	319	430	5,637	1,850
	Punjab American	1,300	1,475	845	595	..	4,215	2,208	3,050	2,490	1,544	..	9,292	30,208	38,805
	TOTAL	1,672	1,887	966	750	..	5,275	2,264	3,105	2,809	1,544	..	9,722	35,845	60,655
3. Amritsar ¹³	Punjab Desi	277	227	55	97	..	656	..	50	50	5,152	1,302
	Punjab American	1,669	917	935	797	..	4,318	1,055	1,498	880	1,234	..	4,667	19,340	23,654
	TOTAL	1,946	1,144	990	894	..	4,974	1,055	1,548	880	1,234	..	4,717	24,492	26,956
4. Ferozepur ¹⁴	Punjab Desi	561	972	1,683	899	..	4,115	547	201	474	104	..	1,326	20,050	17,470
	Punjab American	11,471	10,068	9,904	10,015	..	41,458	10,507	9,526	10,047	9,543	..	39,623	195,461	185,210
	TOTAL	12,032	11,040	11,587	10,914	..	45,573	11,054	9,727	10,521	9,647	..	40,949	215,511	202,680
5. Patiala ¹⁵	Punjab Desi	5,002	3,397	3,983	4,019	..	16,401	2,526	2,367	2,202	1,356	..	8,451	98,934	81,527
	Punjab American	6,369	4,104	4,740	4,715	..	19,928	3,612	9,379	7,830	10,212	..	31,033	110,297	132,915
	TOTAL	11,371	7,501	8,723	8,734	..	46,338	11,746	10,032	11,568	..	39,484	209,231	21,442	
	STATE TOTAL														
	Cotton Lint	31,579	25,689	26,249	25,115	..	108,632	24,651	30,185	28,551	26,773	..	110,160	564,708	584,149
	Cotton Waste	141	122	61	91	..	415	39	156	104	81	..	380	1,601	1,218

Weekly Cotton Press Return—contd.

i. Statement of cotton pressed in India for the week ending 7th, 14th, 21st and 28th of the month of February 1958—*contd.*

(In Running bales)

